



Integrity ★ Service ★ Excellence

Plasma and Electro-energetic Physics

Date: 05 March 2013

**John W. Luginsland
Program Officer
AFOSR/RTB**

Air Force Research Laboratory

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 05 MAR 2013		2. REPORT TYPE		3. DATES COVERED 00-00-2013 to 00-00-2013	
4. TITLE AND SUBTITLE Plasma and Electro-Energetic Physics				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Air Force Office of Scientific Research ,AFOSR/RTB,875 N. Randolph,Arlington,VA,22203				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES Presented at the AFOSR Spring Review 2013, 4-8 March, Arlington, VA.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 22	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			



Plasma and Electro-Energetic Physics




NAME: John Luginsland ,
**Plasma and Electro-energetic
Physics**

BRIEF DESCRIPTION OF PORTFOLIO:

Explore scientific opportunities in plasmas and electro-energetic physics where energy-dense objects powered by electromagnetic energy can provide new vistas in high-power electronics, plasma-enabled chemistry, and fluid/turbulence dynamics arenas

Sub-area: High Power Microwave (HPM) sources, non-equilibrium plasmas, and pulsed power





“What’s past is prologue...”



2008 Spring Review


BRIEF DESCRIPTION OF PORTFOLIO:

To advance the state-of-the-art in high power electronics for USAF applications in DEW, radar, EW, and communications.


Sub-area:

- HPM sources
- Pulsed power
- Cold plasma

2008 Portfolio




2013 Portfolio







Plasma and Electro-energetic Physics



~GW for short periods






HPM/DE





Often far from equilibrium

PP



NEP









High Power Microwaves



- HPM and vacuum electronics has demonstrated Pf^2 (energy density) doubling every 26 month since 1930
 - MW-GW, ~30-40% efficient, 0.1-1 μs
- Emission physics fundamental physics for input power (Joint RD/RX/EOARD/AFOSR)




RD




RX/Rice



Recirculating Magnetron (U-Michigan and AFRL/RD)





Conventional 12 vane magnetron






Conventional-polarity 20-vane RPM

- Larger cathode surface area provides higher current
- Larger anode area allows for faster heat dissipation
- RPM allows for nearly full electron beam recirculation
- Planar cavities are decoupled from the anode-cathode and spacing
- Magnetic field volume (V) scales linearly with # cavities (N) instead of (N^2) as with cylindrical magnetron





Phase Control





Amplifiers vs Oscillators

A Grand Challenge






Haystack/Warloc



80kW (10kW ave)

Fundamental challenge in mating high power (nonlinearity) and amplification (linearity)









30dB gain at 300W (200MHz BW)

MIT





High Power MM for Transformation Optics



FY'12 MURI

Transformational Electromagnetics



MTMs design



MTMs design and
characterization,
antennas



Electrical &
Computer Engineering

High Power VEDs, MTMs,
plasma diagnostics




VEDs, MTMs








Non-Equilibrium Air Plasma







Entropy (arb. units)



Light from 3 μs discharge



Novel Plasma Chemistry









Non-Equilibrium Plasma in Space



NRL Space Chamber




AFRL/RV Theory on LH and IAW




DISTRIBUTION STATEMENT A – Unclassified


Density in linear stage



$\Omega_e t = 0$




$\Omega_e t = 10$




$\Omega_e t = 300$


Density in nonlinear stage and formation of zonal flows and nonlinear vortex structures



$\Omega_e t = 2700$



$\Omega_e t = 2800$



$\Omega_e t = 2980$

Distribution A: Authorized for public release





Strongly Coupled Plasma

($\Gamma = 99 = PE/KE$)



Voss Sci/OSU



Ultracold, neutral plasma



Strongly Coupled Plasma




$$\begin{aligned}Z_i &= 25 \\m_i &= 56m_p \\n_e &= 10^{24} \text{ cm}^{-3} \\T &= T_i = T_e\end{aligned}$$

Wigner-Seitz radius:
 $a = (3/4\pi n_i)^{1/3}$

Coupling Parameter:
 $\Gamma = Z^2 e^2 / akT$

Plasma typically defined by kinetic energy > ionization energy
Strongly coupled plasma occurs when $PE > KE$


Voss Sci/OSU



BRI with T. Curcic + STTR Transition





Sample PIC simulation using the density decomposition scheme including a non-local three-body recombination event.





Energy Evolution (40 time step duration)







An Aside: Transformative Computation



Tech-X (treecode for SCP on GPU)





- 3 Recent Basic Research Initiatives (Curcic, Fahroo, JWL, Smith, Stargel)
 - Ultra-Scale and Fault-Resilient Algorithms: Mathematical Algorithms for Ultra-Parallel Computing
 - **Transformational Computing via Co-Design of High-Performance Algorithms and Hardware**
 - Transformational Computing in Aerospace Science and Engineering (Q. Algorithms for Physics)



Pulsed Power Science Challenges






Large Pulsed Capacitor
Energy Densities



- Fundamental focus on transport of charge and energy through solid-state high-energy materials
- **MURI on Magnetic-Energy Conversion with Sayir**
- **BRI on Metal-Dielectric Interfaces with Sayir**
- Engineer materials to provide competing characteristics of
 - Energy density (ϵ)
 - Rapid discharge capability
 - Breakdown Dielectric strength (E)



Pulsed Power Successes



S. Heidger, STAR team

Zhang, UM

DISTRIBUTION STATEMENT A – Unclassified, Unlimited Distribution






New Initiatives and Resources




Collaborations across AFOSR









Resources





AFOSR is the leading DOD 6.1 organization for non-equilibrium plasma physics, especially for HPM/vacuum electronics EM sources



fs to hrs; nm to 100s km; solid-state energy/charge transport to plasma to WDM

Collaborators/Teammates

- Active collaborations with AFRL, ONR, ARL, DTRA, DARPA, NSF, DOE, and Air U
- Joint project with DARPA in micro-plasmas
- Close interactions with 9 LRIR, 3 MURI, and 11 BRI (fundamental sciences finds a wide range of collaborations)



DISTRIBUTION STATEMENT A – Unclassified, Unlimited Distribution

